



IMPORTANT!!!

To print your pattern pieces from **Adobe Reader** go to **File --> Print**

Make sure your “**Page Scaling**” is set to **NONE**. Otherwise the pieces will not print to the correct size.

and that wouldn't be good, now would it?





DIXIE DIY.com


Stripe A-Line Skirt Pattern

Fabrics: 1 and 1/2 to 1 and 2/3 yards of 45in wide Light to Mid weight non-stretch woven striped fabric. 1/4 yard 45in wide iron on interfacing. Notions: 9" zipper, matching thread.

	XS	S	M	L	XL
Waist/Hips Garment Size	28in/36in	30in/38in	32in/40in	34in/42in	36in/44in

For best fit measure your natural waist and the widest point of your hips. Make sure to choose a size that gives your body a little ease (1 to 2 inches depending on how tight or loose you want the skirt to fit.




Try measuring the waist and hips of your favorite skirt or dress to compare sizes.



Right side of fabric Wrong side of fabric



Right side of pattern Wrong side of pattern




1/4 in seam allowance
Unless otherwise noted in the instructions.

Print pattern pieces 12 letter size pages total. Line up pieces along dotted lines as pictured. Tape pieces together before cutting out your size.


Cut out pattern pieces

DIXIE DIY.com Stripe A-Line Skirt Pattern


1. Stitch main body skirt pieces together, right sides facing, alternating stripe direction.





2. Stitch bottom band pieces together, right sides facing.




3. Stitch bottom band to main skirt body pieces, right sides facing.




4. Fuse interfacing to wrong side of waistband. Fold waist band in half lengthwise, right sides facing out.




5. Stitch waistband to main skirt body pieces, right sides facing.



6. With a 1/2 in seam allowance stitch the center back seam together from lower edge to small circle. Press seam open.



7. Stitch zipper to the sides of the center back opening according to package instructions. Press seam flat.



8. Turn up a 1/4 in hem along skirt's lower edge bottom band and press. Fold over again 3/4 in and top stitch.

